

Customer:
Pure Health Peptides

EA Sample ID: 26EA0408-007
Sample Name: Bacteriostatic Water
Sample Type: Liquid
Batch/Lot: CHA-022626

Date Received:
04/08/2026
Date Completed:
04/12/2026



ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Summary of Results

<u>Analysis Type</u>	<u>Method</u>	<u>Date Tested</u>	<u>Status</u>	
Benzyl Alcohol	HPLC	04/12/2026	Complete	
pH	USP <791>	04/12/2026	Complete	

Serving Size: N/A

Label Claim Profile

<u>Analyte</u>	<u>Result</u>	<u>Specification</u>	<u>LOQ (%)</u>
Benzyl Alcohol	0.91%	0.9%	0.1
pH	5.9	Report Only	N/A

Identity of the analyte was confirmed by retention time concordance with a certified reference standard, per USP <621>

NOTES:

LOD = LIMIT OF DETECTION; LOQ = LIMIT OF QUANTIFICATION



Ethos Analytics Laboratory
3020 E Camelback Rd STE 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io
Lic #: 000026LRCND60176649
ISO/IEC 17025 Acc #: 117798

Noel Samsum
Laboratory Director
12-Apr-2026

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.